

CISCO PWR-C1-715WAC-P=



Cena celkem:	28 622 Kč (bez DPH: 23 655 Kč)
Běžná cena:	31 484 Kč
Ušetříte:	2 862 Kč
Kód zboží:	NAPCSC1207
Part No.:	PWR-C1-715WAC-P=
Záruka:	60 měs.
Stav:	Nové zboží

Popis

Cisco PWR-C1-715WAC-P=

Náhradní napájecí zdroj vhodný pro switche Cisco Catalyst 9300.

ZÁKLADNÍ SPECIFIKACE

Výkon: 715 W

Vstup: AC 100-240 V, 50/60 Hz, 10-5 A

Výstup: -56 V při 12,8 A

Kompatibilita: Cisco Catalyst 9300

[Záruční podmínky](#)



ASTESYN
MAXIMUM OUTPUT POWER: 2000W (1400V-200V)
Safety Power Supply / Alternative 100-240V
Safety Power Supply / Alternative 100-240V

Model: A17249P5WC
Part No.: P01
PWR-C1-150W-C-P01
341-100571-01 A0
SN: A17249P5WC

Input Voltage: 100-240V AC
Output Voltage: 12V, 5V, 3.3V, 0V
Output Current: 16.7A, 1A, 8.3A, 0A
Efficiency: 80% (100-240V)
Power Factor: 0.99
Dimensions: 150mm (L) x 100mm (W) x 40mm (H)
Weight: 0.5kg

CE
ENEC
80 PLUS PLATINUM
UL
C-UL
US

SAFETY WARNINGS:
1. Read the manual before using the power supply.
2. Do not touch the power supply when it is powered on.
3. Do not touch the power supply when it is hot.
4. Do not use the power supply in a humid or dusty environment.
5. Do not use the power supply in a high temperature environment.
6. Do not use the power supply in a high voltage environment.
7. Do not use the power supply in a high magnetic field environment.
8. Do not use the power supply in a high frequency electromagnetic field environment.
9. Do not use the power supply in a high vibration environment.
10. Do not use the power supply in a high pressure environment.

